



WSC-T200E-I3M028

2MP mrežna kamera u turret kućištu

RSD 4,560,00 + PDV

1/2.9" CMOS sa progresivnim skeniranjem. Color: 0.02Lux @(F2.0, AGC ON). Maksimalna rezolucija 1920x1080. Fiksna optika 2.8mm. Kompresija S+265/H.265/H.264. DWDR. Domet IR dioda 30 metara. Integriran mikrofoni. Napajanje PoE. Odgovarajuća dozna je PFA136. Materijal: Metal i plastika.



WSC-B200E-I3M028

2MP mrežna kamera u bullet kućištu

RSD 4,560,00 + PDV

1/3" CMOS sa progresivnim skeniranjem. Color: 0.02Lux @(F2.0, AGC ON). Maksimalna rezolucija 1920x1080. Fiksna optika 2.8mm. Kompresija S+265/H.265/H.264. DWDR. Domet IR dioda 30 metara. Integriran mikrofoni. Napajanje PoE. Odgovarajuća dozna je PFA130-E, DS-1280ZJ-XS. Materijal: Plastika.



WSC-B200-I3M028

2MP mrežna kamera u bullet kućištu

RSD 5,280.00 + PDV

1/2.9" CMOS sa progresivnim skeniranjem. Color: 0.02Lux @(F2.0, AGC ON). Maksimalna rezolucija 1920x1080. Fiksna optika 2.8mm. Kompresija S+265/H.265/H.264. Zaštita IP67. DWDR. Domet IR dioda 30 metara. Integriran mikrofoni. Napajanje PoE. Odgovarajuća dozna je PFA130-E, DS-1280ZJ-XS. Materijal: Metal i plastika.



WSC-PT200-I3M028

2MP mrežna kamera u turret kućištu.

RSD 5,280.00 + PDV

1/2.9 CMOS sa progresivnim skeniranjem. Color: 0.02 Lux @(F2.0. Maksimalna rezolucija 1920 x 1080. Fiksna optika 2.8mm. Kompresija S+265/H.265/H.264. DWDR. Domet IC diode 30m. Integriran mikrofoni. Napajanje PoE. Odgovarajuća dozna je PFA136. Materijal: Metal i Plastika.



WSC-AD210-TI3MC028

2MP mrežna kamera u dome kućištu.

RSD 5,760.00 + PDV

1/2.8 CMOS sa progresivnim skeniranjem. Color: 0.002 Lux @(F1.6. Maksimalna rezolucija 1920 x 1080. Fiksna optika 2.8mm. Kompresija S+265/H.265/H.264. Zaštita IP66, IK10. WDR 120dB. Domet IC diode 30m. Integriran mikrofoni. Slot za microSD karticu do 512GB. Video analitika: Tripwire, Perimeter. Napajanje PoE. Materijal: Metal i plastika.



WSC-BV200-I8M02812

2MP mrežna kamera u bullet kućištu

RSD 10,560.00 + PDV

1/2.8" CMOS sa progresivnim skeniranjem. Color: 0.02Lux @(F1.6, AGC ON). Maksimalna rezolucija 1920x1080. Motorizovani varifokal 2.8-12mm. Kompresija S+265/H.265/H.264. Zaštita IP67. DWDR. Domet IR dioda 80 metara. Integriran mikrofoni. Slot za microSD karticu do 512GB. Napajanje 12VDC, PoE. Odgovarajuća dozna je PFA130-E, DS-1280ZJ-XS. Materijal: Metal i Plastika.



WSC-B400-I3M028

RSD 6,240.00 + PDV

4MP mrežna kamera u bullet kućištu

1/3" CMOS sa progresivnim skeniranjem. Color: 0.02Lux @(F1.6, AGC ON). Maksimalna rezolucija 2560x1440. Fiksna optika 2.8mm. Kompresija S+265/H.265/H.264. Zaštita IP67. DWDR. Domet IR dioda 30 metara. Integriran mikrofoni. PoE. Odgovarajuća dozna je PFA130-E, DS-1280ZJ-XS. Materijal: Metal i plastika.



WSC-PT400-I3M028

RSD 6,240.00 + PDV

4MP mrežna kamera u turret kućištu.

1/3 CMOS sa progresivnim skeniranjem. Color: 0.02 Lux @(F1.6. Maksimalna rezolucija 2560 x 1440. Fiksna optika 2.8mm. Kompresija S+265/H.265/H.264. DWDR. Domet IC diode 30m. Integriran mikrofoni. Napajanje PoE. Odgovarajuća dozna je PFA136. Materijal: Metal i Plastika.



WSC-AD410-I3MC028

RSD 8,640.00 + PDV

4MP mrežna kamera u dome kućištu.

1/2.7 CMOS sa progresivnim skeniranjem. Color: 0.002 Lux @(F1.6. Maksimalna rezolucija 2688 x 1520. Fiksna optika 2.8mm. Kompresija S+265/H.265/H.264. Zaštita IP66, IK10. DWDR. Domet IC diode 30m. Integriran mikrofoni. Slot za microSD karticu do 512GB. Video analitika: Tripwire, Perimeter. Napajanje PoE. Materijal: Metal i plastika.



WSC-BV200-TI8MC02812

RSD 15,840.00 + PDV

4MP mrežna kamera u bullet kućištu.

1/2.8 CMOS sa progresivnim skeniranjem. Color: 0.02 Lux @(F1.6. Maksimalna rezolucija 2688x1520@25fps. Motorizovan varifokal 2.8 - 12mm. Kompresija S+265/H.265/H.264. Zaštita IP67. DWDR. Domet IC diode 80m. Integriran mikrofoni. Slot za microSD karticu do 512GB. Video analitika: Tripwire, Perimeter. Napajanje 12VDC, PoE. Odgovarajuća dozna je PFA130-E, DS-1280ZJ-XS. Materijal: Metal i Plastika. *** Napomena: Tačan model WSC-BV400-TI8MC02812



WSC-B210-TI5MC028

RSD 10,560.00 + PDV

5MP mrežna kamera u bullet kućištu sa StarLight tehnologijom

1/2.8" CMOS sa progresivnim skeniranjem. Color: 0.002Lux @(F1.6, AGC ON). Maksimalna rezolucija 2592x1944. Fiksna optika 2.8mm. Kompresija S+265/H.265/H.264. Zaštita IP67. WDR 120dB. Smart IR domet 50 metara. Integriran mikrofoni. Video analitika: Tripwire, Perimeter. Slot za microSD karticu do 512GB. Napajanje 12V, PoE. Odgovarajuća dozna je PFA130-E, DS-1280ZJ-XS. Materijal: Metal i plastika. *** Napomena: Tačan model WSC-B510-TI5MC028



WSC-D510-TI3MC028

RSD 12,480.00 + PDV

5MP mrežna kamera u dome kućištu.

1/2.7 CMOS sa progresivnim skeniranjem. Color: 0.002 Lux @(F1.6. Maksimalna rezolucija 2880 x 1620. Fiksna optika 2.8mm. Kompresija S+265/H.265/H.264. Zaštita IP66, IK10. WDR 120dB. Domet IC diode 30m. Integriran mikrofoni. Slot za microSD karticu do 512GB. Video analitika: Raspoznavanje ljudi i vozila, Tripwire, Perimeter. Napajanje 12VDC, PoE. Materijal: Metal i Plastika.



WSC-MBV510-TI8MAC27135

RSD 21,600.00 + PDV

5MP mrežna kamera u bullet kućištu.

1/2.8 CMOS sa progresivnim skeniranjem. Color: 0.002 Lux @F1.6. Maksimalna rezolucija 2592 × 1944. Motorizovan varifokal 2.7 - 13.5mm. Kompresija S+265/H.265/H.264. Zaštita IP67, IK10. WDR 120dB. Domet IC diode 80m. Integriran mikrofoni. 1x Audio in, 1x Audio out, 1x Alarm in, 1x Alarm out. Slot za microSD karticu do 512GB. Video analitika: Tripwire, Perimeter. Napajanje 12VDC, PoE. Odgovarajuća dozna je PFA130-E, DS-1280ZJ-XS. Materijal: Metal.



WSC-MB810-TI5M028

RSD 17,952.00 + PDV

8MP mrežna kamera u bullet kućištu.

1/2.8 CMOS sa progresivnim skeniranjem. Color: 0.002 Lux @F1.6. Maksimalna rezolucija 3840×2160. Fiksna optika 2.8mm. Kompresija S+265/H.265/H.264. Zaštita IP67. WDR 120dB. Domet IC diode 50m. Integriran mikrofoni. Slot za microSD karticu do 512GB. Video analitika: Raspoznavanje ljudi i vozila, Tripwire, Perimeter. Napajanje 12VDC, PoE. Odgovarajuća dozna je PFA130-E, DS-1280ZJ-XS. Materijal: Metal.



WSC-MT810-TI3M028

RSD 17,952.00 + PDV

8MP mrežna kamera u turret kućištu.

1/2.8" CMOS sa progresivnim skeniranjem. Color: 0.002 Lux @ (F1.6, AGC ON), B/W: 0 Lux with IR. Maksimalna rezolucija 3840x2160. Fiksna optika 2.8mm. Kompresija H.265+/H.265/H.264+/H.264. Nivo zaštite IP66. 120dB WDR. Domet IC dioda 30 metara. Slot za microSD karticu do 512GB. Integriran mikrofoni. Video analitika: Human/Vehicle Classification, Tripwire, Perimeter. 12v napajanje, PoE. Odgovarajuća dozna je PFA136. Materijal: Metal.



WSC-PDL400-I3M028

RSD 12,000.00 + PDV

2MP mrežna kamera u omni kućištu.

1/3 CMOS sa progresivnim skeniranjem. Color: 0.02 Lux @F1.6. Maksimalna rezolucija 1920×1080. Fiksna optika 2.8mm. Kompresija S+265, H.265. Zaštita IP67. DWDR. Domet IC diode 50m. Integriran mikrofoni. Napajanje 12VDC, PoE. Materijal: Plastika. *** Napomena: Uz kameru dolazi zidni nosač.



WSR-051V1

Mrežni video snimač za 5 kanala.

RSD 11,040.00 + PDV

Maksimalna rezolucija snimanja 6mp. Bandwidth in 60Mbps, Bandwidth out 40Mbps. Kompresija snimanja Smart H.265+, H.264+. 1x HDMI izlaz, 1x VGA izlaz. 1x audio izlaz. 1x RJ45 10/100Mbps mrežni interfejs. 2x USB 2.0. Mogućnost priključenja 1HDD maksimalnog kapaciteta 10TB. Perimeter Protection (Human/Vehicle Classification), VCA Search.



WSR-101V1-4K

Mrežni video snimač za 10 kanala.

RSD 13,920.00 + PDV

Maksimalna rezolucija snimanja 8mp. Bandwidth in 80Mbps, Bandwidth out 80Mbps. Kompresija snimanja Smart H.265+, H.264+. 1x HDMI izlaz, 1x VGA izlaz. 1x audio ulaz, 1x audio izlaz. 4x alarm in, 1x alarm out. 1x RJ45 10/100Mbps mrežni interfejs. 2x USB 2.0. Mogućnost priključenja 1HDD maksimalnog kapaciteta 10TB. Perimeter Protection, VCA Search.



WSR-102V1-4K

Mrežni video snimač za 10 kanala.

RSD 18,432.00 + PDV

Maksimalna rezolucija snimanja 8mp. Bandwidth in 160Mbps, Bandwidth out 64Mbps. Kompresija snimanja Smart H.265+, H.264+. 1x HDMI izlaz, 1x VGA izlaz. 1x audio ulaz, 1x audio izlaz. 4x alarm in, 1x alarm out. 1x RJ45 10/100/1000Mbps mrežni interfejs. 2x USB 2.0. Mogućnost priključenja 2HDD maksimalnog kapaciteta 10TB. Perimeter Protection, VCA Search.



WSR-201V1-4K

Mrežni video snimač za 20 kanala.

RSD 19,680.00 + PDV

Maksimalna rezolucija snimanja 8mp. Bandwidth in 80Mbps, Bandwidth out 80Mbps. Kompresija snimanja Smart H.265+, H.264+. 1x HDMI izlaz, 1x VGA izlaz. 1x audio ulaz, 1x audio izlaz. 4x alarm in, 1x alarm out. 1x RJ45 10/100Mbps mrežni interfejs. 2x USB 2.0. Mogućnost priključenja 1HDD maksimalnog kapaciteta 10TB. Perimeter Protection, VCA Search.



WSR-202V1-4K

Mrežni video snimač za 20 kanala.

RSD 20,640.00 + PDV

Maksimalna rezolucija snimanja 8mp. Bandwidth in 160Mbps, Bandwidth out 64Mbps. Kompresija snimanja Smart H.265+, H.264+. 1x HDMI izlaz, 1x VGA izlaz. 1x audio ulaz, 1x audio izlaz. 4x alarm in, 1x alarm out. 1x RJ45 10/100/1000Mbps mrežni interfejs. 2x USB 2.0. Mogućnost priključenja 2HDD maksimalnog kapaciteta 10TB. Perimeter Protection, VCA Search.